

Minesweeper is NP-Complete

Notes by Melissa Gymrek
Based on a paper by Richard Kayes 2000

Minesweeper

- Reducing 3SAT to generalized Minesweeper
- Reducing cSAT to well-know version of Minesweeper

General Minesweeper

MINESWEEPER: { G, ξ | G is a graph and ξ is a partial integer labeling of G , and G can be filled with mines in such a way that any node v labeled m has exactly m neighboring nodes containing mines. }


Deciding if a graph is in the MINESWEEPER language is NP-complete:

- Polynomial time verification
- Reduce from 3SAT in polynomial time

Polynomial Time Verification

- For each node v labeled m :
 - Check that exactly m neighbors contain mines
 - $O(E)$ time – clearly polynomial

Reduce from 3SAT



- Function f converts a 3SAT instance to a MINESW instance in polynomial time
- Z is satisfiable iff w is satisfiable

3SAT Review

Boolean 3CNF formula:


$$(A \vee B \vee C) \wedge (\sim A \vee D \vee \sim C) \wedge \dots$$

N variables (A, B, C, D) in this instance

M clauses (here 2 clauses are shown)

Question: Is this boolean formula satisfiable?


3SAT \rightarrow MINESWEEPER



Make a gadget for each variable

3SAT \rightarrow MINESWEEPER

For clause $(A \vee B \vee \sim C)$



3SAT \rightarrow MINESWEEPER

- Conversion took polynomial time:
- 1 gadget for each of the N vars = $O(N)$
- 1 gadget for each of M clauses = $O(MN)$
- Total $O(N(M+1))$ time

Minesweeper as we know it

MINESWEEPER Problem: Given a rectangular grid partially marked with numbers and/or mines, some squares being left blank, determine whether there is some pattern of mines in the blank squares giving rise to the numbers seen.

Deciding if a graph is in the MINESWEEPER language is NP-complete:

- Polynomial time verification
- Reduce from cSAT in polynomial time


Wire

1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1	x	x'	1	x	x'	1	x	x'	1	x	x'	1	x	x'	1	x	x'	1	x	x'	1
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1


Image by MIT OpenCourseWare.

Either all the x's or all the x''s are mines. If it is the x's, we call it “true”, if the x''s, we call it “false”

Manipulating Wires



(a)



(b)

Figure 7. (a) A bent wire. (b) A terminated wire..

(c) Springer-Verlag New York. All rights reserved. This content is excluded from our Creative Commons license.

For more information, see <http://ocw.mit.edu/fairuse>.

Kaye, Richard. "Minesweeper is NP-complete." *Mathematical Intelligencer* 22, no. 2 (2000): 9-15.

Manipulating Wires




Figure 8. A three-way splitter.

(c) Springer-Verlag New York. All rights reserved. This content is excluded from our Creative Commons license.

For more information, see <http://ocw.mit.edu/fairuse>.

Kaye, Richard. "Minesweeper is NP-complete." *Mathematical Intelligencer* 22, no. 2 (2000): 9-15.

NOT gate

									1	1	1										
1	1	1	1	1	1	1	1	1	2	1	2	1	1	1	1	1	1	1	1	1	1
1	x	x'	1	x	x'	1	x	x'	3	x	3	1	x'	x	1	x'	x	1	x'	x	1
1	1	1	1	1	1	1	1	1	2	1	2	1	1	1	1	1	1	1	1	1	1
									1	1	1										

Image by MIT OpenCourseWare.

Inverts the sign of a wire

More gates

- We can now manipulate/invert wires
- Cross wires? First make planar XOR, then use XOR and three way splitter to cross wires
- We have NOT, and AND, universal!

More gates




Figure 11. Crossing two wires with three XOR gates.




Figure 12. Making an XOR gate with AND and NOT gates.

(c) Springer-Verlag New York. All rights reserved. This content is excluded from our Creative Commons license.

For more information, see <http://ocw.mit.edu/fairuse>.

Kaye, Richard. "Minesweeper is NP-complete." *Mathematical Intelligencer* 22, no. 2 (2000): 9-15.

AND gate




Figure 13. An AND gate.

(c) Springer-Verlag New York. All rights reserved. This content is excluded from our Creative Commons license. For more information, see <http://ocw.mit.edu/fairuse>.
 Kaye, Richard. "Minesweeper is NP-complete." *Mathematical Intelligencer* 22, no. 2 (2000): 9-15.

NAND is universal!

- $(A \text{ nand } A) \text{ nand } (B \text{ nand } B) = A \vee B$
- $(A \text{ nand } B) \text{ nand } (A \text{ nand } B) = A \wedge B$
- $(A \text{ nand } A) = \sim A$


Tetris is NP-complete

Ron Breukelaar, Erik Demaine,
Susan Hohenberger,
Hendrik Jan Hoogeboom,
Walter Kusters, David Liben-Nowell
published 2004

In Honor of your Intellectual Contribution to the Art of Tetris,

**FOR PROVING NP-COMPLETENESS IN MAXIMIZATION OF LINES,
TETRISES, PIECES PLAYED, OR MINIMIZATION OF SQUARE HEIGHT,**


we masters of the Harvard Tetris Society hereby confer the title of



TETRIS MASTER

upon

Erik D. Demaine




on the sixteenth day of the twelfth month in the year 17 Anno Tetri (2002)

David Remars
HTS President

Gregory M. Lugolin
HTS Treasurer

3-Partition

- Given $3s$ integers a_1, a_2, \dots, a_{3s} , can you partition into s triples with the same sum?
 - Know the sum must be $T = \sum a_i / s$
- This problem is **strongly NP-complete**:
NP-complete even if a_i numbers are $s^{O(1)}$




Initial Board

$\approx T$ notches
(target sum)


(it is possible to
actually get here)

s columns
(one per sum)














Piece Sequence

- For each input a_i :




Failure to Launch






Forced Moves


Finale Pieces




Finale Pieces




Finale Pieces




Finale Pieces



Finale Pieces




Finale Pieces



Summary

- If there's a 3-partition, can win Tetris:
Get tons of lines, Tetrises, live forever, etc.
- If there's no 3-partition, must lose Tetris:
Die, no lines, no Tetrises, etc.

Open Problems

- What if the initial board is empty?
- What about Tetris with $O(1)$ columns?
- What about Tetris with $O(1)$ rows?
- What about restricted piece sets (e.g. just )?
- What if every move drops from high up (no last-minute slides)?
- Is two-player Tetris PSPACE-complete?
- What can we say about online (regular) Tetris?

MIT OpenCourseWare
<http://ocw.mit.edu>

SP.268 / ESG.SP268 The Mathematics in Toys and Games
Spring 2010

For information about citing these materials or our Terms of Use, visit: <http://ocw.mit.edu/terms>.